



P R O J E C T & S T A F F
s e r i e s

sektörünün kutup yıldızı

the north star of is sector

yenilikçi / innovator

farklı çizgiler / different style

yaratıcı tasarım / creative design

spesifik renk ve materyal / specific color and materials

kaliteli ürün / quality products

müşteri memnuniyeti / customer satisfaction

güler yüzlü hizmet / positive customer feedback



Bir isteği gerçekleştirmenin ilk şartı hayal etmektir.

Bütün büyük zaferler, sınırları aşan fikirler ve hayata yön veren tüm icatlar, buldukları konuma hayal ve tutkuyla ulaştı.

Masachi, 1999 Yılında 13 kişi ile 1.500 m² alanda ve kısıtlı enstrümanlarıyla bir hayale vücut verme amacı ile başladığı ticari faaliyetlerine bugün, sahibi olduğu 12.000 m² kapalı alanda; mühendis, teknisyen ve konusunda uzman ekibi ve de son teknoloji makine parkuru ile durmadan düşünüyor, tasarlıyor, üretiyor.

Sektöre farklı ve yenilikçi bir soluk katma adına; kabul görecekt radikal çizgiler, yaratıcı tasarım, spesifik renk ve materyal, kaliteli ürün, müşteri memnuniyeti ve son olarak güler yüzlü hizmet.

Bunların hepsini heyecan ve inançla birleştirince ortaya çıkan sonuç ise Sektörünün **"KUTUP YILDIZI"** olmak.

Masachi'yi tercih edenlerin takdiriyle 17. yılını kutlarken teknoloji temelli, kalite odaklı, genç ve dinamik ekibi ile hayal etmeye ve bu hayalleri gerçeğe dönüştürmeye devam ediyor.

masachi[®]
OFFICE FURNITURE



INDEX

| | |
|---|-----|
| Boomerang Series | 004 |
| Lares Series | 024 |
| Icon Series | 042 |
| Efes Series | 060 |
| Artek Series | 074 |
| Kesonlar ve Aksesuarlar Pedestal Unit & Accessory | 080 |
| PC Masası ve PC Kasa Taşıyıcıları Pc Table & HDD Carrier Chassis | 082 |
| Toplantı Masaları Meeting Tables | 084 |
| Bankolar ve Kürsüler Receptions & Rostrums | 090 |
| Kitaplıklar Bookcases | 092 |

boomerang

çırağan / parlak beyaz / antrasit



BMR 01 / Masa / Table / L 225 cm. / D 188 cm. H 75 cm.
BMR 03 / Kitaplık / Bookcase / L 210 cm. / D 41 cm. H 131 cm.
BMR 04 / Sehpa / Coffeetable / L 80 cm. / D 55 cm. H 42 cm.
RVR 10 / Rover Makam Koltuğu / Executive Chair / Aspendos 19
RVR 30 / Rover Misafir Koltuğu / Guest Chair / Aspendos 19

30 mm çift parçalı CNC'de özel form verilmiş tabla, elektrostatik toz boya ile boyanan özel silindirik formu verilmiş krom parçalı güçlü boru ayaklar, priz kutusu, frenli menteşe ve teleskopik ray, merkezi kilit, elektrostatik toz boya ile boyanan metal pc menfezi, ahşap çekmece, krom kare kulp. / 30 mm desktop thickness (two pieces) CNC formed desktop, strong chrome legs, electrostatically painted, plug, telescopic rail brake, soft close hinge, wooden drawer, chrome square handle.

çırağan / parlak beyaz



OLY 02 / Masa / Table / L 225 cm. / D 150 cm. H 75 cm.

OLY 04 / Kitaplık / Bookcase / L 200 cm. / D 40 cm. H 88 cm.

OLY 05 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.

AWC 10 / Awachi Makam Koltuğu / Executive Chair / Aspendos 13

AWC 30 / Awachi Misafir Koltuğu / Guest Chair / Aspendos 13

30 mm tabla kalınlığı, elektostatik toz boya ile boyanan özel silindirik formu verilmiş krom parçalı güçlü boru ayaklar, frenli menteşe ve teleskopik ray, priz kutusu, özel plastik pc menfezi, ahşap çekmece, krom kare kulp. / 30 mm desktop thickness, strong chrome legs, electrostatically painted, telescopic rail brake, plug, plastic PC air inlet cap, soft close hinge, wooden drawer, chrome square handle.



BMW 01 01 / Masa / Table / L 190 cm. / D 70 cm. H 75 cm.
DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
BMW 112 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
FTA 20 / Fiesta Müdür Koltuğu / Manager Chair / Aspendos 19
FTA 40 / Fiesta Misafir Koltuğu / Guest Chair / Aspendos 19

30 mm tabla, elektrostatik toz boyalı krom parçalı boru ayaklar, plastik pç menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray. / 30 mm desktop thickness, electrostatically painted, chrome pipe legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.



BMW 06 / Masa / Table / L 180 cm. / D 70 cm. H 75 cm.
BMW 113 / Etajer/ Etagere / L 90 cm. / D 55 cm. H 75 cm.
DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
BMW 112 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
KSN 03 / Keson / Pedestal / L 40 cm. / D 47 cm. H 63 cm.
FTA 20 / Fiesta Müdür Koltuğu / Manager Chair / Aspendos 19
FTA 40 / Fiesta Misafir Koltuğu / Guest Chair / Aspendos 19

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar. / 30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs.

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs.

| | | | | |
|------------------|--------------------|-------|-------|------|
| BMW 07 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| BMW 07 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| BMW 08 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| BMW 08 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| BMW 09 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| BMW 09 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|------------------|--------------------|-------|-------|------|
| BMW 10 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| BMW 10 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| BMW 11 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| BMW 11 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| BMW 12 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| BMW 12 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|------------------|--------------------|-------|-------|------|
| BMW 13 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| BMW 13 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| BMW 14 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| BMW 14 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| BMW 15 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| BMW 15 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted, chrome pipe legs, 18 mm chipboard separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 16 | L/140 | D/142 | H/110 |
| BMW 17 | L/160 | D/142 | H/110 |
| BMW 18 | L/180 | D/142 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted, chrome pipe legs, 4 mm plexiglass separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 19 | L/140 | D/140 | H/110 |
| BMW 20 | L/160 | D/140 | H/110 |
| BMW 21 | L/180 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostaticly painted, chrome pipe legs, 30 mm aluminium profiled separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 22 | L/140 | D/143 | H/110 |
| BMW 23 | L/160 | D/143 | H/110 |
| BMW 24 | L/180 | D/143 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted, chrome pipe legs, 18 mm chipboard separator.



| | | | |
|---------------|-------|-------|-------|
| BMW 25 | L/140 | D/142 | H/110 |
| BMW 26 | L/160 | D/142 | H/110 |
| BMW 27 | L/180 | D/142 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted, chrome pipe legs, 4 mm plexiglass separator.



| | | | |
|---------------|-------|-------|-------|
| BMW 28 | L/140 | D/140 | H/110 |
| BMW 29 | L/160 | D/140 | H/110 |
| BMW 30 | L/180 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 31 | L/282 | D/150 | H/110 |
| BMW 32 | L/322 | D/150 | H/110 |
| BMW 33 | L/362 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 34 | L/280 | D/150 | H/110 |
| BMW 35 | L/320 | D/150 | H/110 |
| BMW 36 | L/360 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 37 | L/283 | D/150 | H/110 |
| BMW 38 | L/323 | D/150 | H/110 |
| BMW 39 | L/363 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 40 | L/282 | D/150 | H/110 |
| BMW 41 | L/322 | D/150 | H/110 |
| BMW 42 | L/362 | D/150 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 43 | L/280 | D/150 | H/110 |
| BMW 44 | L/320 | D/150 | H/110 |
| BMW 45 | L/360 | D/150 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 46 | L/283 | D/150 | H/110 |
| BMW 47 | L/323 | D/150 | H/110 |
| BMW 48 | L/363 | D/150 | H/110 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, 18 mm chipboard separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 49 | L/282 | D/142 | H/110 |
| BMW 50 | L/322 | D/142 | H/110 |
| BMW 51 | L/362 | D/142 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, 18 mm chipboard separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 58 | L/282 | D/142 | H/110 |
| BMW 59 | L/322 | D/142 | H/110 |
| BMW 60 | L/362 | D/142 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, 4 mm plexiglass separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 52 | L/280 | D/140 | H/110 |
| BMW 53 | L/320 | D/140 | H/110 |
| BMW 54 | L/360 | D/140 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, 4 mm plexiglass separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 61 | L/280 | D/140 | H/110 |
| BMW 62 | L/320 | D/140 | H/110 |
| BMW 63 | L/360 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 30 mm alüminyum profilili bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, 30 mm aluminium profiled separator.

| | | | |
|---------------|-------|-------|-------|
| BMW 55 | L/283 | D/143 | H/110 |
| BMW 56 | L/323 | D/143 | H/110 |
| BMW 57 | L/363 | D/143 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 18 mm suntalam seperatör, krom yay kulp.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, 18 mm chipboard separator, chrome handle.

| | | | |
|---------------|-------|-------|-------|
| BMW 64 | L/282 | D/142 | H/110 |
| BMW 65 | L/322 | D/142 | H/110 |
| BMW 66 | L/362 | D/142 | H/110 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| BMW 73 | L/282 | D/302 | H/110 |
| BMW 74 | L/322 | D/302 | H/110 |
| BMW 75 | L/362 | D/302 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| BMW 82 | L/282 | D/302 | H/110 |
| BMW 83 | L/322 | D/302 | H/110 |
| BMW 84 | L/362 | D/302 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| BMW 76 | L/280 | D/300 | H/110 |
| BMW 77 | L/320 | D/300 | H/110 |
| BMW 78 | L/360 | D/300 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| BMW 85 | L/280 | D/300 | H/110 |
| BMW 86 | L/320 | D/300 | H/110 |
| BMW 87 | L/360 | D/300 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| BMW 79 | L/283 | D/303 | H/110 |
| BMW 80 | L/323 | D/303 | H/110 |
| BMW 81 | L/363 | D/303 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| BMW 88 | L/283 | D/303 | H/110 |
| BMW 89 | L/323 | D/303 | H/110 |
| BMW 90 | L/363 | D/303 | H/110 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| BMW 91 | L/282 | D/302 | H/110 |
| BMW 92 | L/322 | D/302 | H/110 |
| BMW 93 | L/362 | D/302 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| BMW 94 | L/280 | D/300 | H/110 |
| BMW 95 | L/320 | D/300 | H/110 |
| BMW 96 | L/360 | D/300 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.



| | | | |
|--------|-------|-------|-------|
| BMW 97 | L/282 | D/302 | H/110 |
| BMW 98 | L/322 | D/302 | H/110 |
| BMW 99 | L/362 | D/302 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.



| | | | |
|---------|-------|-------|-------|
| BMW 100 | L/280 | D/300 | H/110 |
| BMW 101 | L/320 | D/300 | H/110 |
| BMW 102 | L/360 | D/300 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, 18 mm chipboard separator.

BMW 103 L/280 D/242 H/110



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, 4 mm plexiglass separator.

BMW 104 L/278 D/241 H/110



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı krom parçalı boru ayaklar, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted, chrome pipe legs, 30 mm aluminium profiled separator.

BMW 105 L/281 D/243 H/110



boomerang work system



30 mm tabla, elektrostatik toz boyalı krom parçalı boru ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, electrostatically painted chromium pipe legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.

| | | | |
|---------|-------|-------|------|
| BMW 106 | L/295 | D/211 | H/75 |
| BMW 107 | L/335 | D/211 | H/75 |
| BMW 108 | L/375 | D/211 | H/75 |



30 mm tabla, elektrostatik toz boyalı krom parçalı boru ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, electrostatically painted chromium pipe legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.

| | | | |
|---------|-------|-------|------|
| BMW 109 | L/295 | D/421 | H/75 |
| BMW 110 | L/335 | D/421 | H/75 |
| BMW 111 | L/375 | D/421 | H/75 |

lares work





- LAR 01 / Masa / Table / L 200 cm. / D 90 cm. H 75 cm.**
LAR 03 / Etajer / Etagere / L 80 cm. / D 50 cm. H 73 cm.
LAR 04 / Kitaplık / Bookcase / L 200 cm. / D 40 cm. H 89 cm.
LAR 05 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
FTA 20 / Fiesta Yönetici Koltuğu / Manager Chair / Lara 22
RES 01 / Rest Tekli Kanepa / Single Sofa / Lara 22 / Verona

30 mm tabla kalınlığı, krom kaplamalı özel form verilmiş güçlü kutu profil ayaklar, özel Masachi köşebent, frenli menteşe ve teleskopik ray, ahşap çekmece, krom kare kulp / 30 mm desktop thickness, square shaped chrome metal legs, special Masachi bracket, telescopic rail brake, soft close hinge, wooden drawer, chrome square handle.





LRW 01 01 / Masa / Table / L 190 cm. / D 70 cm. H 75 cm.
 DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 LRW 112 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
 FLX 20 / Flex Müdür Koltuğu / Manager Chair / Aspendos 19
 FLX 40 / Flex Misafir Koltuğu / Guest Chair / Aspendos 19

30 mm tabla, elektrostatik toz boyalı kutu profil ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray. / 30 mm desktop thickness, electrostatically painted profile legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.



LRW 06 / Masa / Table / L 180 cm. / D 70 cm. H 75 cm.
 LRW 113 / Etajer/ Etagere / L 90 cm. / D 55 cm. H 75 cm.
 DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 LRW 112 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
 KSN 03 / Keson / Pedestal / L 40 cm. / D 47 cm. H 63 cm.
 FTA 20 / Fiesta Müdür Koltuğu / Manager Chair / Aspendos 19
 FTA 40 / Fiesta Misafir Koltuğu / Guest Chair / Aspendos 19

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar. / 30 mm desktop thickness, cable channel, electrostatically painted profile legs.

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar.

30 mm desktop thickness, cable channel, electrostatically painted profile legs.

| | | | | |
|-----------|--------------------|-------|-------|------|
| LRW 07 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| LRW 07 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| LRW 08 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| LRW 08 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| LRW 09 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| LRW 09 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|-----------|--------------------|-------|-------|------|
| LRW 10 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| LRW 10 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| LRW 11 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| LRW 11 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| LRW 12 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| LRW 12 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|-----------|--------------------|-------|-------|------|
| LRW 13 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| LRW 13 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| LRW 14 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| LRW 14 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| LRW 15 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| LRW 15 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 18 mm chip-board separator.

| | | | |
|--------|-------|-------|-------|
| LRW 16 | L/140 | D/142 | H/110 |
| LRW 17 | L/160 | D/142 | H/110 |
| LRW 18 | L/180 | D/142 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| LRW 19 | L/140 | D/140 | H/110 |
| LRW 20 | L/160 | D/140 | H/110 |
| LRW 21 | L/180 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 30 mm alüminyum profililli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| LRW 22 | L/140 | D/143 | H/110 |
| LRW 23 | L/160 | D/143 | H/110 |
| LRW 24 | L/180 | D/143 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 18 mm chip-board separator.



| | | | |
|--------|-------|-------|-------|
| LRW 25 | L/140 | D/142 | H/110 |
| LRW 26 | L/160 | D/142 | H/110 |
| LRW 27 | L/180 | D/142 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 4 mm plexiglass separator.



| | | | |
|--------|-------|-------|-------|
| LRW 28 | L/140 | D/140 | H/110 |
| LRW 29 | L/160 | D/140 | H/110 |
| LRW 30 | L/180 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulpu, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| LRW 31 | L/282 | D/150 | H/110 |
| LRW 32 | L/322 | D/150 | H/110 |
| LRW 33 | L/362 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulpu, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| LRW 40 | L/282 | D/150 | H/110 |
| LRW 41 | L/322 | D/150 | H/110 |
| LRW 42 | L/362 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulpu, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| LRW 34 | L/280 | D/150 | H/110 |
| LRW 35 | L/320 | D/150 | H/110 |
| LRW 36 | L/360 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulpu, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| LRW 43 | L/280 | D/150 | H/110 |
| LRW 44 | L/320 | D/150 | H/110 |
| LRW 45 | L/360 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulpu, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| LRW 37 | L/283 | D/150 | H/110 |
| LRW 38 | L/323 | D/150 | H/110 |
| LRW 39 | L/363 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulpu, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| LRW 46 | L/283 | D/150 | H/110 |
| LRW 47 | L/323 | D/150 | H/110 |
| LRW 48 | L/363 | D/150 | H/110 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 18 mm chip-board separator.

| | | | |
|--------|-------|-------|-------|
| LRW 49 | L/282 | D/142 | H/110 |
| LRW 50 | L/322 | D/142 | H/110 |
| LRW 51 | L/362 | D/142 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 18 mm chip-board separator.

| | | | |
|--------|-------|-------|-------|
| LRW 58 | L/282 | D/142 | H/110 |
| LRW 59 | L/322 | D/142 | H/110 |
| LRW 60 | L/362 | D/142 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 4 mm plexi-glass separator.

| | | | |
|--------|-------|-------|-------|
| LRW 52 | L/280 | D/140 | H/110 |
| LRW 53 | L/320 | D/140 | H/110 |
| LRW 54 | L/360 | D/140 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 4 mm plexi-glass separator.

| | | | |
|--------|-------|-------|-------|
| LRW 61 | L/280 | D/140 | H/110 |
| LRW 62 | L/320 | D/140 | H/110 |
| LRW 63 | L/360 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 30 mm alüminyum profilili bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| LRW 55 | L/283 | D/143 | H/110 |
| LRW 56 | L/323 | D/143 | H/110 |
| LRW 57 | L/363 | D/143 | H/110 |

30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 18 mm suntalam seperatör, krom yay kulp.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, 18 mm chip board separator, chrome handle.

| | | | |
|--------|-------|-------|-------|
| LRW 64 | L/282 | D/142 | H/110 |
| LRW 65 | L/322 | D/142 | H/110 |
| LRW 66 | L/362 | D/142 | H/110 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, merkezi kilit, drawer rail, 18 mm chipboard seperator.

| | | | |
|--------|-------|-------|-------|
| LRW 73 | L/282 | D/302 | H/110 |
| LRW 74 | L/322 | D/302 | H/110 |
| LRW 75 | L/362 | D/302 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard seperator.

| | | | |
|--------|-------|-------|-------|
| LRW 82 | L/282 | D/302 | H/110 |
| LRW 83 | L/322 | D/302 | H/110 |
| LRW 84 | L/362 | D/302 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass seperator.

| | | | |
|--------|-------|-------|-------|
| LRW 76 | L/280 | D/300 | H/110 |
| LRW 77 | L/320 | D/300 | H/110 |
| LRW 78 | L/360 | D/300 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass seperator.

| | | | |
|--------|-------|-------|-------|
| LRW 85 | L/280 | D/300 | H/110 |
| LRW 86 | L/320 | D/300 | H/110 |
| LRW 87 | L/360 | D/300 | H/110 |



30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled seperator.

| | | | |
|--------|-------|-------|-------|
| LRW 79 | L/283 | D/303 | H/110 |
| LRW 80 | L/323 | D/303 | H/110 |
| LRW 81 | L/363 | D/303 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled seperator.

| | | | |
|--------|-------|-------|-------|
| LRW 88 | L/283 | D/303 | H/110 |
| LRW 89 | L/323 | D/303 | H/110 |
| LRW 90 | L/363 | D/303 | H/110 |





30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.


| | | | |
|--------|-------|-------|-------|
| LRW 91 | L/282 | D/302 | H/110 |
| LRW 92 | L/322 | D/302 | H/110 |
| LRW 93 | L/362 | D/302 | H/100 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.



| | | | |
|--------|-------|-------|-------|
| LRW 97 | L/282 | D/302 | H/110 |
| LRW 98 | L/322 | D/302 | H/110 |
| LRW 99 | L/362 | D/302 | H/100 |




30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| LRW 94 | L/280 | D/300 | H/110 |
| LRW 95 | L/320 | D/300 | H/110 |
| LRW 96 | L/360 | D/300 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.



| | | | |
|---------|-------|-------|-------|
| LRW 100 | L/280 | D/300 | H/110 |
| LRW 101 | L/320 | D/300 | H/110 |
| LRW 102 | L/360 | D/300 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostaticly painted profile legs, 18 mm chipboard seperator.

LRW 103 L/280 D/242 H/110



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 4 mm pleksiglas seperatör.

30mm thickness CNC shaped desktop, cable channel, electrostaticly painted profile legs, 4 mm plexiglass seperator.

LRW 104 L/278 D/241 H/110



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, elektrostatik toz boyalı kutu profil ayaklar, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostaticly painted profile legs, 30 mm aluminium profiled seperator.

LRW 105 L/281 D/243 H/110



lares work system



30 mm tabla, elektrostatik toz boyalı kutu profil ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, chrome handle, plastic drawer, central lock, drawer rail, electrostatically painted profile legs, plastic vent-hole.

| | | | |
|---------|-------|-------|------|
| LRW 106 | L/295 | D/211 | H/75 |
| LRW 107 | L/335 | D/211 | H/75 |
| LRW 108 | L/375 | D/211 | H/75 |



30 mm tabla, elektrostatik toz boyalı kutu profil ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, electrostatically painted profile legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.

| | | | |
|---------|-------|-------|------|
| LRW 109 | L/295 | D/421 | H/75 |
| LRW 110 | L/335 | D/421 | H/75 |
| LRW 111 | L/375 | D/421 | H/75 |






ICN 02 / Masa / Table / L 200 cm. / D 175 cm. H 75 cm.
ICN 04 / Kitaplık / Bookcase / L 200 cm. / D 40 cm. H 88 cm.
ICN 05 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
FLX 10 / Flex Makam Koltuğu / Executive Chair / Aspendos 19 - 20
ORO 01 / Orion Tekli Kanepes / Single Sofa / Aspendos 20 / Antrasit
ORO 02 / Orion İkili Kanepes / Double Sofa / Aspendos 20 / Antrasit


30 mm tabla kalınlığı, abkant ile özel form verilmiş yüksekliği ayarlanabilir elektrostatik toz boyalı iç içe girmiş metal sac ayaklar, frenli menteşe ve teleskopik ray, priz kutusu, elektrostatik toz boyalı metal pc menfezi, merkezi kilit, ahşap çekmece, krom kare kulup / 30 mm desktop thickness, postformed wooden corners, electrostatically painted, CNC formed sides, telescopic rail brake, soft close hinge, wooden drawer, chrome square handle.





INW 01 01 / Masa / Table / L 190 cm. / D 70 cm. H 75 cm.
 DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 INW 112 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
 VGA 20 / Vegas Müdür Koltuğu / Manager Chair / Toskano 11 / Sert file 01
 VGA 40 / Vegas Misafir Koltuğu / Guest Chair / Aspendos 19

30 mm tabla, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray. / 30 mm desktop thickness, desk grommets, electrostatically painted and height adjustable profile legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.



INW 06 / Masa / Table / L 180 cm. / D 70 cm. H 75 cm.
 INW 113 / Etajer/ Etagere / L 90 cm. / D 55 cm. H 75 cm.
 DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 INW 112 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
 KSN 03 / Keson / Pedestal / L 40 cm. / D 47 cm. H 63 cm.
 FTA 20 / Fiesta Müdür Koltuğu / Manager Chair / Toskano 11 / Sert file 01
 FTA 40 / Fiesta Misafir Koltuğu / Guest Chair / Toskano 11 / Sert file 01

30 mm tabla, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray. / 30 mm desktop thickness, desk grommets, cable channel, electrostatically painted and height adjustable profile legs.

30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs.

| | | | | |
|-----------|--------------------|-------|-------|------|
| INW 07 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| INW 07 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| INW 08 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| INW 08 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| INW 09 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| INW 09 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|-----------|--------------------|-------|-------|------|
| INW 10 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| INW 10 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| INW 11 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| INW 11 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| INW 12 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| INW 12 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|-----------|--------------------|-------|-------|------|
| INW 13 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| INW 13 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| INW 14 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| INW 14 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| INW 15 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| INW 15 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |





30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 16 | L/140 | D/142 | H/110 |
| INW 17 | L/160 | D/142 | H/110 |
| INW 18 | L/180 | D/142 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| INW 19 | L/140 | D/140 | H/110 |
| INW 20 | L/160 | D/140 | H/110 |
| INW 21 | L/180 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| INW 22 | L/140 | D/143 | H/110 |
| INW 23 | L/160 | D/143 | H/110 |
| INW 24 | L/180 | D/143 | H/110 |

30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, 18 mm chipboard separator.



| | | | |
|--------|-------|-------|-------|
| INW 25 | L/140 | D/142 | H/110 |
| INW 26 | L/160 | D/142 | H/110 |
| INW 27 | L/180 | D/142 | H/110 |

30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, 4 mm plexiglass separator.




| | | | |
|--------|-------|-------|-------|
| INW 28 | L/140 | D/140 | H/110 |
| INW 29 | L/160 | D/140 | H/110 |
| INW 30 | L/180 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 31 | L/282 | D/150 | H/110 |
| INW 32 | L/322 | D/150 | H/110 |
| INW 33 | L/362 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| INW 34 | L/280 | D/150 | H/110 |
| INW 35 | L/320 | D/150 | H/110 |
| INW 36 | L/360 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| INW 37 | L/283 | D/150 | H/110 |
| INW 38 | L/323 | D/150 | H/110 |
| INW 39 | L/363 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.


| | | | |
|--------|-------|-------|-------|
| INW 40 | L/282 | D/150 | H/110 |
| INW 41 | L/322 | D/150 | H/110 |
| INW 42 | L/362 | D/150 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.


| | | | |
|--------|-------|-------|-------|
| INW 43 | L/280 | D/150 | H/110 |
| INW 44 | L/320 | D/150 | H/110 |
| INW 45 | L/360 | D/150 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| INW 46 | L/283 | D/150 | H/110 |
| INW 47 | L/323 | D/150 | H/110 |
| INW 48 | L/363 | D/150 | H/110 |





30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted and height adjustable profile legs, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 49 | L/282 | D/142 | H/110 |
| INW 50 | L/322 | D/142 | H/110 |
| INW 51 | L/362 | D/142 | H/110 |

30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted and height adjustable profile legs, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 58 | L/282 | D/142 | H/110 |
| INW 59 | L/322 | D/142 | H/110 |
| INW 60 | L/362 | D/142 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted and height adjustable profile legs, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| INW 52 | L/280 | D/140 | H/110 |
| INW 53 | L/320 | D/140 | H/110 |
| INW 54 | L/360 | D/140 | H/110 |

30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted and height adjustable profile legs, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| INW 61 | L/280 | D/140 | H/110 |
| INW 62 | L/320 | D/140 | H/110 |
| INW 63 | L/360 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostaticly painted and height adjustable profile legs, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| INW 55 | L/283 | D/143 | H/110 |
| INW 56 | L/323 | D/143 | H/110 |
| INW 57 | L/363 | D/143 | H/110 |

30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostaticly painted and height adjustable profile legs, chrome handle, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 64 | L/282 | D/142 | H/110 |
| INW 65 | L/322 | D/142 | H/110 |
| INW 66 | L/362 | D/142 | H/110 |





30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 73 | L/282 | D/302 | H/110 |
| INW 74 | L/322 | D/302 | H/110 |
| INW 75 | L/362 | D/302 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 82 | L/282 | D/302 | H/110 |
| INW 83 | L/322 | D/302 | H/110 |
| INW 84 | L/362 | D/302 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| INW 76 | L/280 | D/300 | H/110 |
| INW 77 | L/320 | D/300 | H/110 |
| INW 78 | L/360 | D/300 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| INW 85 | L/280 | D/300 | H/110 |
| INW 86 | L/320 | D/300 | H/110 |
| INW 87 | L/360 | D/300 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| INW 79 | L/283 | D/303 | H/110 |
| INW 80 | L/323 | D/303 | H/110 |
| INW 81 | L/363 | D/303 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| INW 88 | L/283 | D/303 | H/110 |
| INW 89 | L/323 | D/303 | H/110 |
| INW 90 | L/363 | D/303 | H/110 |





30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| INW 91 | L/282 | D/302 | H/110 |
| INW 92 | L/322 | D/302 | H/110 |
| INW 93 | L/362 | D/302 | H/110 |



30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.


| | | | |
|--------|-------|-------|-------|
| INW 94 | L/280 | D/300 | H/110 |
| INW 95 | L/320 | D/300 | H/110 |
| INW 96 | L/360 | D/300 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.



| | | | |
|--------|-------|-------|-------|
| INW 97 | L/282 | D/302 | H/110 |
| INW 98 | L/322 | D/302 | H/110 |
| INW 99 | L/362 | D/302 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostatically painted and height adjustable profile legs, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|---------|-------|-------|-------|
| INW 100 | L/280 | D/300 | H/110 |
| INW 101 | L/320 | D/300 | H/110 |
| INW 102 | L/360 | D/300 | H/110 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostaticly painted and height adjustable profile legs , 18 mm chipboard seperator.

INW 103 L/280 D/242 H/110



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, electrostaticly painted and height adjustable profile legs , 4 mm plexiglass seperator.


INW 104 L/278 D/241 H/110



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, electrostaticly painted and height adjustable profile legs , 30 mm aluminium profiled seperator.

INW 105 L/281 D/243 H/110



INW 103

INW 26

INW 103

icon work system



30 mm tabla, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, electrostatically painted, height adjustable profile legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.

| | | | |
|---------|-------|-------|------|
| INW 106 | L/295 | D/211 | H/75 |
| INW 107 | L/335 | D/211 | H/75 |
| INW 108 | L/375 | D/211 | H/75 |



30 mm tabla, yüksekliği ayarlanabilir elektrostatik toz boyalı metal sac ayaklar, plastik pc menfezi, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, electrostatically painted, height adjustable profile legs, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.

| | | | |
|---------|-------|-------|------|
| INW 109 | L/295 | D/421 | H/75 |
| INW 110 | L/335 | D/421 | H/75 |
| INW 111 | L/375 | D/421 | H/75 |

efes work



**PERSONEL / STAFF**

EFE 05 / Masa / Table / L 160 cm. / D 70 cm. H 75 cm.

EFE 01 / Masa / Table / L 80 cm. / D 70 cm. H 75 cm.

EFE 11 / Klavyelik / Keyboard / L 60 cm. / D 35 cm.

EFE 07 / Köşe / Corner / L 70 cm. / D 70 cm. H 75 cm.

EFE 09 / Sehpa / Coffeetable / L 50 cm. / D 50 cm. H 40 cm.

KSN 03 / Keson / Pedestal / L 40 cm. / D 47 cm. H 63 cm.

DSK 05 / Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 84 cm.

DSK 06 / Cam Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 84 cm.

SMA 10 / Smart Müdür Koltuğu / Manager Chair / Micro 17/ Sert file 08

SMA 20 / Smart Misafir Koltuğu / Guest Chair / Micro 17/ Sert file 08

30 mm tabla kalınlığı, merkezi kilit, çubuk ray, plastik çekmece, krom yay kulp. / 30 mm desktop thickness, central lock, not bended, non brake ABS supported plastic drawer, chrome handle.



EFW 01 01 / Masa / Table / L 190 cm. / D 70 cm. H 75 cm.
 DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 EFW 79 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
 INR 20 / Intro Müdür Koltuğu / Manager Chair / Aspendos 19 / Sert file 01
 INR 40 / Intro Misafir Koltuğu / Guest Chair / Aspendos 19 / Sert file 01

30 mm tabla, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, plastik pc menfezi. / 30 mm desktop thickness, plastic vent-hole, chrome handle, plastic drawer, central lock, drawer rail.



EFW 06 / Masa / Table / L 180 cm. / D 70 cm. H 75 cm.
 EFW 80 / Etajer / Etager / L 90 cm. / D 55 cm. H 75 cm.
 DSK 13 / Yarım Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 DSK 14 / Boy Kapak Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.
 EFW 79 / Sehpa / Coffeetable / L 70 cm. / D 50 cm. H 42 cm.
 KSN 03 / Keson / Pedestal / L 40 cm. / D 47 cm. H 63 cm.

INR 20 / Intro Müdür Koltuğu / Manager Chair / Aspendos 19 / Sert file 01
 INR 40 / Intro Misafir Koltuğu / Guest Chair / Aspendos 19 / Sert file 01

30 mm tabla, omurga kablo kanalı. / 30 mm desktop thickness, cable channel.

30 mm tabla, omurga kablo kanalı.

30 mm desktop thickness, cable channel.

| | | | | |
|-----------|--------------------|-------|-------|------|
| EFW 07 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| EFW 07 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| EFW 08 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| EFW 08 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| EFW 09 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| EFW 09 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm desktop thickness, cable channel, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|-----------|--------------------|-------|-------|------|
| EFW 10 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| EFW 10 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| EFW 11 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| EFW 11 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| EFW 12 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| EFW 12 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray.

30 mm thickness CNC shaped desktop, cable channel, chrome handle, plastic drawer, central lock, drawer rail.

| | | | | |
|-----------|--------------------|-------|-------|------|
| EFW 13 | (Sağ Etajerli / R) | L/140 | D/150 | H/75 |
| EFW 13 01 | (Sol Etajerli / L) | L/140 | D/150 | H/75 |
| EFW 14 | (Sağ Etajerli / R) | L/160 | D/150 | H/75 |
| EFW 14 01 | (Sol Etajerli / L) | L/160 | D/150 | H/75 |
| EFW 15 | (Sağ Etajerli / R) | L/180 | D/150 | H/75 |
| EFW 15 01 | (Sol Etajerli / L) | L/180 | D/150 | H/75 |





30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| EFW 16 | L/282 | D/150 | H/110 |
| EFW 17 | L/322 | D/150 | H/110 |
| EFW 18 | L/362 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| EFW 25 | L/282 | D/150 | H/110 |
| EFW 26 | L/322 | D/150 | H/110 |
| EFW 27 | L/362 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| EFW 19 | L/280 | D/150 | H/110 |
| EFW 20 | L/320 | D/150 | H/110 |
| EFW 21 | L/360 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| EFW 28 | L/280 | D/150 | H/110 |
| EFW 29 | L/320 | D/150 | H/110 |
| EFW 30 | L/360 | D/150 | H/110 |



30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| EFW 22 | L/283 | D/150 | H/110 |
| EFW 23 | L/323 | D/150 | H/110 |
| EFW 24 | L/363 | D/150 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| EFW 31 | L/283 | D/150 | H/110 |
| EFW 32 | L/323 | D/150 | H/110 |
| EFW 33 | L/363 | D/150 | H/110 |





30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| EFW 34 | L/282 | D/302 | H/110 |
| EFW 35 | L/322 | D/302 | H/110 |
| EFW 36 | L/362 | D/302 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 18 mm suntalam seperatör.

30 mm thickness CNC shaped desktop, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| EFW 43 | L/282 | D/302 | H/110 |
| EFW 44 | L/322 | D/302 | H/110 |
| EFW 45 | L/362 | D/302 | H/110 |



30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| EFW 37 | L/280 | D/300 | H/110 |
| EFW 38 | L/320 | D/300 | H/110 |
| EFW 39 | L/360 | D/300 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 4 mm pleksiglas seperatör.

30 mm thickness CNC shaped desktop, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| EFW 46 | L/280 | D/300 | H/110 |
| EFW 47 | L/320 | D/300 | H/110 |
| EFW 48 | L/360 | D/300 | H/110 |



30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| EFW 40 | L/283 | D/303 | H/110 |
| EFW 41 | L/323 | D/303 | H/110 |
| EFW 42 | L/363 | D/303 | H/110 |

CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, chrome handle, plastic drawer, central lock, drawer rail, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| EFW 49 | L/283 | D/303 | H/110 |
| EFW 50 | L/323 | D/303 | H/110 |
| EFW 51 | L/363 | D/303 | H/110 |





30 mm tabla, omurga kablo kanalı, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| EFW 52 | L/282 | D/142 | H/110 |
| EFW 53 | L/322 | D/142 | H/110 |
| EFW 54 | L/362 | D/142 | H/110 |

30 mm tabla, omurga kablo kanalı, 18 mm suntalam seperatör.

30 mm desktop thickness, cable channel, 18 mm chipboard separator.

| | | | |
|--------|-------|-------|-------|
| EFW 61 | L/140 | D/142 | H/110 |
| EFW 62 | L/160 | D/142 | H/110 |
| EFW 63 | L/180 | D/142 | H/110 |



30 mm tabla, omurga kablo kanalı, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| EFW 55 | L/280 | D/140 | H/110 |
| EFW 56 | L/320 | D/140 | H/110 |
| EFW 57 | L/360 | D/140 | H/110 |

30 mm tabla, omurga kablo kanalı, 4 mm pleksiglas seperatör.

30 mm desktop thickness, cable channel, 4 mm plexiglass separator.

| | | | |
|--------|-------|-------|-------|
| EFW 64 | L/140 | D/140 | H/110 |
| EFW 65 | L/160 | D/140 | H/110 |
| EFW 66 | L/180 | D/140 | H/110 |



30 mm tabla, omurga kablo kanalı, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| EFW 58 | L/283 | D/143 | H/110 |
| EFW 59 | L/323 | D/143 | H/110 |
| EFW 60 | L/363 | D/143 | H/110 |

30 mm tabla, omurga kablo kanalı, 30 mm alüminyum profilli bölücü panel.

30 mm desktop thickness, cable channel, 30 mm aluminium profiled separator.

| | | | |
|--------|-------|-------|-------|
| EFW 67 | L/143 | D/143 | H/110 |
| EFW 68 | L/163 | D/143 | H/110 |
| EFW 69 | L/183 | D/143 | H/110 |





CNC ile özel form verilmiş 30 mm tabla, 18 mm suntalam seperatör.

30 mm thickness, CNC shaped desktop, 18 mm chipboard separator.

EFW 70

L/280 D/242 H/110



CNC ile özel form verilmiş 30 mm tabla, 4 mm pleksiglas seperatör.

30 mm thickness, CNC shaped desktop, 4 mm plexiglass separator.

EFW 71

L/278 D/241 H/110



CNC ile özel form verilmiş 30 mm tabla, omurga kablo kanalı, 30 mm alüminyum profilli bölücü panel.

30 mm thickness CNC shaped desktop, cable channel, 30 mm aluminium profiled separator.

EFW 72

L/281 D/243 H/110



efes work system



30 mm tabla, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, plastik pc menfezi.

30 mm desktop thickness, chrome handle, plastic drawer, plastic vent-hole, central lock, drawer rail.

| | | | |
|--------|-------|-------|------|
| Efw 73 | L/295 | D/211 | H/75 |
| Efw 74 | L/335 | D/211 | H/75 |
| Efw 75 | L/375 | D/211 | H/75 |



30 mm tabla, krom yay kulp, plastik çekmece, merkezi kilit, çubuk ray, plastik pc menfezi.

30 mm desktop thickness, chrome handle, plastic drawer, plastic vent-hole, central lock, drawer rail.

| | | | |
|--------|-------|-------|------|
| Efw 76 | L/295 | D/421 | H/75 |
| Efw 77 | L/335 | D/421 | H/75 |
| Efw 78 | L/375 | D/421 | H/75 |

artek series



**PERSONEL / STAFF**

ATK 02 / Masa / Table / L 160 cm. / D 77 cm. H 75 cm.

ATK 10 / Etajer / Etagere / L 80 cm. / D 50 cm. H 75 cm.

ATK 12 / Sehpa / Coffeetable / L 50 cm. / D 50 cm. H 40 cm.

DSK 05 / Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 84 cm.

DSK 13 / Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.

LXR 10 / Luxor Müdür Koltuğu / Manager Chair / Micro 01/ Sert file 01

LXR 20 / Luxor Misafir Koltuğu / Guest Chair / Micro 01/ Sert file 01

30 mm kalınlıkta parçalı tabla, merkezi kilit, çubuk ray, plastik çekmece, krom yay kulp. / 30 mm desktop thickness, 2 parts joined (etegare and desktop) central lock, not bended, non brake ABS supported plastic drawer, chrome handle.



**PERSONEL / STAFF**

ATK 08 / Masa / Table / L 160 cm. / D 150 cm. H 75 cm.

ATK 12 / Sehpa / Coffeetable / L 50 cm. / D 50 cm. H 40 cm.

DSK 05 / Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 84 cm.

DSK 13 / Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 119 cm.

LXR 10 / Luxor Müdür Koltuğu / Manager Chair / Micro 01/ Sert file 01

LXR 20 / Luxor Misafir Koltuğu / Guest Chair / Micro 01/ Sert file 01

30 mm tabla kalınlığı, CNC'de form verilmiş tabla, çubuk ray, merkezi kilit, plastik çekmece, krom yay kulp. / 30 mm desktop thickness - angle shaped sitting side central lock, not bended, non brake ABS supported plastic drawer, chrome handle.

**PERSONEL / STAFF**

ATK 05 / Masa / Table / L 160 cm. / D 77 cm. H 75 cm.

ATK 10 / Etajer / Etagere / L 80 cm. / D 50 cm. H 75 cm.

ATK 12 / Sehpa / Coffeetable / L 50 cm. / D 50 cm. H 40 cm.

DSK 05 / Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 84 cm.

DSK 13 / Kapaklı Dolap / Bookcase / L 80 cm. / D 40 cm. H 84 cm.

LXR 10 / Luxor Müdür Koltuğu / Manager Chair / Micro 01/ Sert file 01

LXR 20 / Luxor Misafir Koltuğu / Guest Chair / Micro 01/ Sert file 01

30 mm tabla kalınlığı, CNC'de form verilmiş tabla, çubuk ray, merkezi kilit, plastik çekmece, krom yay kulp. / 30 mm desktop thickness - angle shaped sitting side central lock, not bended, non brake ABS supported plastic drawer, chrome handle.





KSN 01 / L 40 cm. / D 47 cm. H 66 cm.
Kalemlik / Pen Holder
Ahşap Çekmece / Wooden Drawers
Teleskopik Ray / Telescopic Rail
Krom Kare Kulp / Chrome Handle
Merkezi Kilit / Center Lock



KSN 02 / L 40 cm. / D 47 cm. H 63 cm.
Ahşap Çekmece / Wooden Drawers
Teleskopik Ray / Telescopic Rail
Krom Kare Kulp / Chrome Handle
Merkezi Kilit / Center Lock



KSN 03 / L 40 cm. / D 47 cm. H 63 cm.
Plastik Çekmece / Plastic Drawers
Çubuk Ray / Rod Rail
Krom Yay Kulp / Chrome Handle
Merkezi Kilit / Center Lock



WST 06 / L 143 cm. / D 60 cm. H 75 cm.
30 mm tabla kalınlığı / 30 mm desktop thickness
İsteğe göre ayak değiştirilir.
The feet may change if desired.



WSD 01 / L 70 cm. / D 40 cm. H 72 cm.
Krom Yay Kulp / Chrome Handle



OKK 01
Omurga Kablo Kanalı
Spinal Cord Channel




KSN 04 / L 40 cm. / D 45 cm. H 54 cm.
Plastik Çekmece / Plastic Drawers
Tek Kilit / Single Lock
Çubuk Ray / Rod Rail
Krom yay kulp / Chrome Handle



KSN 05 / L 40 cm. / D 42 cm. H 36 cm.
Çubuk Ray / Rod Rail
Krom Yay Kulp / Chrome Handle
Tek Kilit / Single Lock
Plastik Çekmece / Plastic Drawers



KSN 06 / L 40 cm. / D 42 cm. H 18 cm.
Çubuk Ray / Rod Rail
Krom Yay Kulp / Chrome Handle
Tek Kilit / Single Lock
Plastik Çekmece / Plastic Drawers



KSN 07 / L 40 cm. / D 47 cm. H 63 cm.
Sümenli Ahşap Çekmece / Veneer Wooden Drawers
Frenli Teleskopik Ray / Brake Telescopic Rail
Krom Kare Kulp / Chrome Handle
Merkezi Kilit / Center Lock



KSN 09 / L 40 cm. / D 45 cm. H 50 cm.
Üstü minderli / Cushion Puff
Teleskopik Ray / Telescopic Rail
Krom Yay Kulp / Chrome Handle
Tek Kilit / Single Lock
Plastik Çekmece / Plastic Drawers



KSN 10 / L 40 cm. / D 50 cm. H 27 cm.
Çubuk Ray / Rod Rail
Krom Yay Kulp / Chrome Handle
Plastik Çekmece / Plastic Drawers



KSN 11 / L 40 cm. / D 47 cm. H 56 cm.
Çubuk Ray / Rod Rail
Krom Yay Kulp / Chrome Handle
Merkezi Kilit / Center Lock
Plastik Çekmece / Plastic Drawers



PRZ 01 / **Priz Kutusu** / Outlet Box
L 97 mm. / D 254 mm. H 101 mm.
Şebeke Prizi / UPS Prizi
CAT 3 Telefon Konnektörü
CAT 6 Data Konnektörü



PRZ 02 / **Priz Kutusu Plus** / Plus Outlet Box
L 97 mm. / D 254 mm. H 101 mm.
Şebeke Prizi / UPS Prizi
CAT 3 Telefon Konnektörü
CAT 6 Data Konnektörü
USB Şarj Modülü
HDMI Konnektörü

pc masası

pc table



BLG 01 / L 90 cm. / D 60 cm. H 75 cm.

Çubuk Ray / Rod Rail

Krom Yay Kulp / Chrome Handle

Ahşap Çekmece / Wooden Drawers

pc kasa taşıyıcıları

HDD carrier chassis



BLG 02 / L 27 cm. / D 47 cm. H 62 cm.

18 mm melamin / 18 mm melamine

Plastik hareketli tekerlek / Plactic Active wheel



BLG 03 / L 27 cm. / D 47 cm. H 14 cm.

18 mm melamin / 18 mm melamine

Plastik hareketli tekerlek / Plactic Active wheel



BLG 04 / L 29 cm. / D 50 cm. H 20 cm.

18 mm melamin / 18 mm melamine

Plastik hareketli tekerlek / Plactic Active wheel

toplanti masaları

meeting table



zeugma

kiraz / parlak beyaz

ZEU 02 / L 350 cm. / D 160 cm. H 75 cm.



lares

sofia / parlak siyah

LAR 07 / L 310 cm. / D 160 cm. H 75 cm.



lares

verona - krom

LAR 06 / L 200 cm. / D 100 cm. H 75 cm.



active

çırağan / parlak beyaz

ACT 01 / L 350 cm. / D 150 cm. H 75 cm.



fortune

latin ceviz / parlak beyaz

FOR 02 / L 450 cm. / D 135 cm. H 75 cm.



fortune-U

deri / leather

verona / inter 07

FOR 03 / L 575 cm. / D 250 cm. H 75 cm.



fortune

deri / leather

çam / inter 01

FOR 01 / L 450 cm. / D 135 cm. H 75 cm.



lares -U

deri / leather

parlak beyaz / aspendos 19 / krom

LAR 08 / L 550 cm. / D 300 cm. H 75 cm.



oval

çırağan / parlak siyah

OVT 01 / L 350 cm. / D 160 cm. H 75 cm.



efes

ceviz

EFE 16 / L 200 cm. / D 100 cm. H 75 cm.



ekol

sofia / kromaj

EKO 05 / Ø 100 cm. H 75 cm.



efes

erik

EFE 14 / Ø 120 cm. H 75 cm.



bankolar ve kürsüler

receptions & rostrums



RPN 23 / parlak beyaz / verona
L 200 cm. / D 70 cm. / H 110 cm.



RPN 20 / parlak beyaz / antrasit
L 220 cm. / D 71 cm. / H 105 cm.



RPN 08 / çırağan / parlak siyah / parlak beyaz
L 180 cm. / D 69 cm. / H 116 cm.



KUU 02 / parlak beyaz / verona
L 70 cm. / D 55 cm. / H 115 cm.



RPN 01
parlak beyaz / ceviz
L 100 cm. / D 69 cm. / H 113 cm.



RPN 06
L 72 cm. / D 72 cm. / H 113 cm.



RPN 03
L 140 cm. / D 69 cm. / H 113 cm.



RPN / parlak beyaz / latin ceviz
L 320 cm. / D 71 cm. / H 105 cm.



KUU 01 / ceviz
L 75 cm. / D 55 cm. / H 115 cm.



DSK 01
L40 / D40 / H84

DSK 02
L40 / D40 / H84

DSK 03
L40 / D40 / H84

DSK 04
L80 / D40 / H84

DSK 05
L80 / D40 / H84

DSK 06
L80 / D40 / H84



DSK 07
D40 / D40 / H119

DSK 08
L40 / D40 / H119

DSK 09
L40 / D40 / H119

DSK 10
L40 / D40 / H119

DSK 11
L40 / D40 / H119

DSK 12
L80 / D40 / H119



DSK 13
L80 / D40 / H119

DSK 14
L80 / D40 / H119

DSK 15
L80 / D40 / H119

DSK 16
L80 / D40 / H119



DSK 17
L40 / D40 / H156

DSK 18
L40 / D40 / H156

DSK 19
L40 / D40 / H156

DSK 20
L40 / D40 / H156

DSK 21
L40 / D40 / H156

DSK 22
L40 / D40 / H156

DSK 23
L40 / D40 / H156



DSK 24
L80 / D40 / H156

DSK 25
L80 / D40 / H156

DSK 26
L80 / D40 / H156

DSK 27
L80 / D40 / H156




DSK 28
L80 / D40 / H156


DSK 29
L80 / D40 / H156

DSK 30
L80 / D40 / H156


DSK 31
L80 / D40 / H156




DSK 32
L40 / D40 / H192




DSK 33
L40 / D40 / H192




DSK 34
L40 / D40 / H192




DSK 35
L50 / D60 / H192




DSK 36
L40 / D40 / H192




DSK 37
L40 / D40 / H192




DSK 38
L40 / D40 / H192




DSK 39
L80 / D40 / H192



DSK 40
L80 / D40 / H192



DSK 41
L80 / D40 / H192




DSK 42
L80 / D40 / H192




DSK 43
L80 / D40 / H192




DSK 44
L80 / D40 / H192




DSK 45
L80 / D40 / H192




DSK 46
L80 / D60 / H192



DSK 47
L80 / D60 / H192




DSK 48
L80 / D40 / H192




DSK 49
L80 / D30 / H192



latin ceviz




ceviz



çırağan



sofia



çam



kiraz




verona



erik



teak



antrasit



kırmızı



hardal



www.masachi.com